


VIVARI® – the personalized shower tray system.




# VIVARI®

... the individual shower tray system in more than 100 colors.



# The form

... fits to your personal desire.



## The floor level shower element

from Pfeiffer, is made with Solid Surface material (Corian®) and a special heat insulated substructure.

## The surface

is non-porous, does not stain, solid, repairable, easy to clean and temperature resistant. Seamless aesthetics and functionality makes this system work.

- Warm and pleasant touch through the integrated heat insulation
- Drain cover from stainless steel or color matched Solid Surface (Corian®)
- Excellent for wheel chair traffic use
- Easy and comfortable cleaning of the waste
- Wall units, coved backsplash and downturns are usefull options
- The shallow installation height of 132mm (horizontal drain), or 52mm (vertical drain), upper side floor, makes this system ideal for new building construction and refurbishment


VIVARI® is a registered trademark of Pfeiffer & Söhne GmbH, Germany.  
Only Pfeiffer makes VIVARI®.

Corian® is a registered trademark of E.I. du Pont de Nemours & Company.  
Only DuPont makes Corian®.

**VIVARI**®

# VIVARI®

You design and sketch! We fabricate and supply!



At the beginning there was the desire to create a shower tray which is as varied as the spirit of our times.

The result is a shower tray you can freely design to your personal requirement, or that of your client. There are no limits to the possible dimensions and this freedom is clearly visible.

Respond to individual wishes. You have the freedom!

Aquamaster shower trays are available in several standard dimensions (page 6) as well as custom designs to suit your personal preferences

→ Optional wall units are quick and easy to **install**

→ Warm and pleasant to the touch through the **integrated heat insulation**

→ On request the **solid surface (Corian®)** wall units will be seamlessly joined to the shower tray

→ Wall connection, with optional **coved backsplash** creates a seamless look. Bacteria and mould have nowhere to hide

→ The shower tray, 12 mm solid surface (Corian®), available in more than 100 colors, is **non-porous, does not stain, solid, repairable, easy to clean and variable temperature resistant**

→ **Flush integrated Solid Surface (Corian®) cover** or stainless steel grid.  
Preinstalled horizontal drain by Dallmer with waste (standard) or optional vertical drain

→ **Barrier-free** through floor-level installation. Optional subconstruction system for different heights is available

→ The shallow **installation height** makes this system ideal for new building construction and refurbishment

→ Integrated surface fall


→ Optional Anti-slip coating, R 10

# VIVARI®



... and the technique.

## Installation to screed




## Installation at wall




Your Freedom: From "Standard" to "Individual". (Custom-made fabrication)

### VIVARI®AM AQUAMASTER Q 900




Available dimensions:  
 Q 900 (900 x 900)  
 Q 1000 (1000 x 1000)  
 Q 1200 (1200 x 1200)  
 Q 1500 (1500 x 1500)

### VIVARI®AM AQUAMASTER R 1200




Available dimensions:  
 R 1200 (1200 x 1200)  
 R 1800 (1800 x 900)  
 R 1800 D\* (1800 x 900)

### VIVARI®AM AQUAMASTER V 1000




Available dimensions:  
 V 900 (900 x 900)  
 V 1000 (1000 x 1000)

### VIVARI®AM AQUAMASTER Q 900 D




Available dimensions:  
 Q 900 D\* (900 x 900)  
 Q 1000 D\* (1000 x 1000)  
 Q 1200 D\* (1200 x 1200)  
 Q 1500 D\* (1500 x 1500)

### VIVARI®AM AQUAMASTER F 1200



Available dimensions:  
 F 1200 (1200 x 1200)

### Customized production:



We fit your individual design with tailor-made fabrication:




D = Drain offset  
 Dimensions in mm

## ViVARI® AQUAMASTER technical data

- Shower trays for floor-level, variable height installation
- Construction, 12 mm Solid Surface (Corian®) with special 40 mm XPS heat insulated substructure
- The surface is non-porous, does not stain, solid, repairable, easy to clean and temperature resistant.
- The substructure has a special reinforced cement coating on both sides and can be installed on most surfaces
- Integrated tile and wall connection with 120 mm Vario sealing tape
- Preinstalled horizontal drain by Dallmer with waste (standard) or optional as a vertical drain
- Flush integrated stainless steel (standard) or color matched solid surface (Corian®) cover (Optional)
- Improved Anti-slip properties with Anti-Slip coating, R 10 (Optional)
- Surface incline ca. 3,0%
- Weight 25 kg/m<sup>2</sup>

### Technical properties of Solid Surface (Corian®):

- Solid Surface (Corian®) is an advanced composite of 1/3 acrylic resin and 2/3 natural minerals (aluminium-tri-hydrate)
- Hardness of Surface (Mohs Index) DIN EN 101, 2-3
- Fire classification, DIN EN 13501 – 1:2002; Euroclass C-s1,d0
- Anti-slip properties, DIN 51130: R 10 (only with Anti-Slip coating)




### Technical properties of XPS substructure:

- The substructure is an extruded polystyrene foam core
- Compressive strength at 10% compression DIN 53421, 0,30 N/mm<sup>2</sup>
- Waterabsorbtion DIN 53428 in Vol.-% (after 28 days) 1,5
- Fire Classification to Euroclass C or British Standard to BS 476 parts 6 & 7 Class 2 all colours. BS 476 parts 6 & 7 Class 1, FR Grade Corian® available for large quantity, in plain Corian® colours only

### Drain

- Flush integrated cover Ø 130 mm stainless steel grid
- Drain pipe diameter DN 50
- Drain capacity:  
drain horizontal 0,8 l/Sek  
drain vertical 1,0 l/Sek
- Drain Firestop  
Optional for drain pipe diameter DN 50



Option:

Integrated **wall panels** made of Solid Surface (Corian®) available in 100 colors

Option:

**Wall connection** with seamless covered backsplash

Option:

**Anti-Slip** properties (R10) for commercial and healthcare use

**ViVARI®**

Pfeiffer & Söhne GmbH  
Emmeliusstraße 21  
D-35614 Asslar  
Fon +49 (0)6441.9833-0  
Fax +49 (0)6441.9833-30

[www.pfeiffer-germany.de](http://www.pfeiffer-germany.de)  
[info@pfeiffer-germany.de](mailto:info@pfeiffer-germany.de)

